UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,984	07/16/2003	Robert M. Nebiker	TEL-038	8816
29956 7590 10/04/2007 TIMOTHY P. O'HAGAN 8710 KILKENNY CT FORT MYERS, FL 33912		EXAMINER		
		•	EL-ZOOBI, MARIA	
			ART UNIT	PAPER NUMBER
			2609	
		•		
		,	MAIL DATE	DELIVERY MODE
			10/04/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

, a	· ·	Application No.	Applicant(s)	
Office Action Summary		10/620,984	NEBIKER ET AL.	
		Examiner	Art Unit	
		Maria El zoobi	2609	
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the	correspondence address	
A SH WHIC - External afternal	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANS and the may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be to the apply and will expire SIX (6) MONTHS from a cause the application to become ABANDON	ON. imely filed the mailing date of this communication. IED (35 U.S.C. § 133).	
Status				
1)□ 2a)□ 3)□	Responsive to communication(s) filed on This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, p		
Dispositi	ion of Claims			
5)□ 6)⊠ 7)□ 8)□	Claim(s) <u>1-22</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) <u>1-22</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or ison Papers			
	·			
10)⊠	The specification is objected to by the Examiner The drawing(s) filed on 07/16/2003 is/are: a) Applicant may not request that any objection to the conference of	accepted or b) objected to be drawing(s) be held in abeyance. So on is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).	
Priority ι	ınder 35 U.S.C. § 119			
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prioric application from the International Bureau see the attached detailed Office action for a list of	s have been received. s have been received in Applica ity documents have been receiv (PCT Rule 17.2(a)).	tion No ved in this National Stage	
2) D Notic 3) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail D 5) Notice of Informal 6) Other:	Date	

Art Unit: 2609

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claim 1-22 are rejected under 35 U.S.C. 102(e) as being unpatentable by Biggs et al US (5,625407).

Regarding claim 1, Biggs discloses, a communication control unit (Fig.1, el.102) for facilitating a communication conference between a plurality of real time communication devices (col.4, lines.52-56) the control unit comprising:

a local network interface for exchanging local network data (Fig.1,el.132 and col.4, lines. 61-63) over a packet switched network (col.4, lines. 38-40) with each of the plurality of real time communication devices (col.4, lines. 52-56)

means for receiving an identification of each of a plurality of real time communication devices selected as conference participants (col.9, lines. 56-67; col.11,lines.11,lines.50-67; the network address identify the endpoint device).

Art Unit: 2609

means for establishing a plurality of real time audio conference channels, each channel between the control unit and a conference participant (col.8, lines.52-58) each channel for receiving streaming audio data from the conference participant (Fig.5, el.404-422) and for providing conference mix streaming audio to each participant (Fig.5,el.520)

means for generating at least one conference mix signal comprising a mix of the streaming audio data from at least two participants (Fig.5,el.520 and col.14, lines. 59-66).

Regarding claim 2, Biggs discloses, wherein the means for establishing a real time audio channel with each of the conference participants comprises means for providing session signaling to each session participant (Fig.8A and 8B) and means for negotiating the set up of a real time audio channel with a conference participant in response to the conference participant responding to the session signaling (col.17, lines. 6-35)

Regarding claim 3, Biggs discloses, an address book file storing address book content (col.18, lines. 49-50; the directory contain the phone numbers of the endpoints), the address book content comprising an identification of each of a plurality of contacts (col.18, lines.58-60; the phone number associate with network address of each device for identifying the location /address of each device)

Art Unit: 2609

means for providing the address book content to one of the real time communication devices in response to the real time communication device providing an indication of a request to establish a communication conference (col.11.lines. 53-60)

and the means for receiving an identification of each of a plurality of real time communication devices selected as conference participants comprises means for receiving an indication of subscriber selection of contacts from the address book content (col.11.lines. 53-60).

Regarding claim 4, Biggs discloses, the means for providing the address book content to one of the real time communication devices comprises means for providing a conference initiation document for display on the real time communication device (col.18, lines.51-52; the user initiate the conference by selecting call command on the screen), the conference initiation document comprising the address book content in association with a display template adapted for operator selection of contacts form the address book content (col.18, lines.57-61and col.19, lines.52-58; after selecting the call command the dial box will appear on the screen so the user can enter the phone number of the device/devices he would like to have conference with).

Regarding claim 5, Biggs discloses, the conference initiation document comprises means for subscriber selection of contacts (col.18, lines.47-52), a conference initiation control (col.18, lines.47-52), and means for providing identification of the selected contacts to the control unit in response to subscriber activation of the

Art Unit: 2609

conference initiation control (col.18, 58-61; the phone number identify the party that the user wants to contact for conference).

Regarding claim 6, Biggs discloses, the means for establishing a real time communication channel with each of the plurality of conference participants further provides for receiving motion video data from at least one conference participant (Fig.5, el. 402-420) and providing motion video data to at least a second conference participant (col.8, lines. 52-68; i.e. in Fig.5, a video signals from first, second and Nth endpoint will receive and go through the video signal routing device 500 and then through the internal switch 518 which will direct these video signal based on the request from user/users who would like to participate in the conference to video mixer/switch; so video from first endpoint will go to any endpoint or multiple end point)

a means for providing a video display document to the second conference participant for display on the second conference participant (col.19, lines.52-58), the video display document comprising a frame for display of the motion video data (col.5, lines.64-66 and col.6, lines.1-5).

Regarding claim 7, Biggs discloses, means for providing a main menu document for display on one real time communication device (col.18, lines. 40-41), the main menu document comprising a control for subscriber selection of at least one messaging service (col. 18, lines. 51-57; i.e. call or add party)

Art Unit: 2609

a control for selection of initiating a communication conference (col.18, lines.40-61), and means for providing a request to establish a conference session to the control unit in response to subscriber activation of the control for selection of initiating a communication conference (col.18, lines.40-61).

Regarding claim 8, Biggs discloses, an address book file storing address book content (col.18, lines. 49-50) the address book content comprising an identification of each of a plurality of contacts(col.18, lines.58-60) means for providing the address book content to one of the real time communication device in response to receipt of the request to establish a communication conference (col.11, lines. 46-60).

the means for receiving an identification of each of a plurality of real time communication devices selected as conference participants comprises means for receiving an indication of subscriber selection of contacts from the address book content (col.11.lines. 53-60 and col.9, lines.6-31 col.11.lines. 53-60).

Regarding claim 9, Biggs discloses, means for providing the address book content to one of the real time communication devices comprises means for providing a conference initiation document for display on the real time communication device (col.18, lines.51-52), the conference initiation document comprising the address book content in association with a display template adapted for operator selection of conference session participants (col.18, lines.57-61 and col.19, lines.52-58)

Regarding claim 10, Biggs discloses, the conference initiation document

Art Unit: 2609

comprises means for subscriber selection of contacts (col.18, lines.47-52), a conference initiation control (col.18, lines.47-52) and means for providing identification of the selected contacts to the control unit in response to subscriber activation of the conference initiation control (col.18, 58-61).

Regarding claim 11, Biggs discloses, the means for establishing a real time communication channel with each of the plurality of conference participants further provides for receiving motion video data from at least one conference participant (Fig.5, el. 402-420) and providing motion video data to at least a second conference participant (col.8, lines. 52-68; i.e. in Fig.5, a video signals from first, second and Nth endpoint will receive and go through the video signal routing device 500 and then through the internal switch 518 which will direct these video signal based on the request from user who would like to participate in the conference to video mixer/switch; so video from first endpoint will go to any endpoint or multiple end points); and further comprising means for providing a video display document to the second conference participant for display on the second conference participant (col.19, lines.52-58), the video display document comprising a frame for display of the motion video data (col.5, lines.64-66).

Regarding claim 12, the method analyzed with respect to claim 1, Biggs discloses, a method for facilitating a communication conference between a plurality of real time communication devices (col.4, lines.52-56),

Art Unit: 2609

the method operating in a control unit (Fig.1, el.102) and comprising:

communicating with each of a the real time communication devices (col.8, lines. 52-58) over a packet switched network (col.4, lines. 38-40) interconnecting the control unit and each of the real time communication devices (Fig.1,el.104,106,108 and 102).

receiving an identification of each of a plurality of real time communication devices selected as conference participants (col.9, lines. 56-67; col.11, lines.11, lines.50-67; the network address identify the endpoint device).

establishing a plurality of real time audio conference channels, each channel between the control unit and a conference participants (col.8, lines.52-58), each real time audio conference channel for receiving streaming audio data from the conference participant (Fig.5, el.404-422) and for providing a conference mix streaming audio data to the participant (Fig.5, el.404-422)

generating conference mix streaming audio data from streaming audio data received from at least two participants (Fig.5,el.520 and col.14, lines. 59-66).

Regarding claim 13,Biggs discloses, establishing a plurality of real time audio channels comprises:

providing session signaling to each session participant (Fig.8A and 8B); and negotiating set up of a real time audio channel with a conference participant in response to the conference participant responding to the session signaling (col.17, lines. 6-35).

Regarding claim14, Biggs discloses, obtaining address book content from an

Art Unit: 2609

address book file (col.18, lines. 49-50), the address book content comprising an identification of each of a plurality of contacts (col.18, lines.58-60) providing the address book content to one of the real time communication devices in response to the real time communication device providing an indication of a request to establish a communication conference (col.11.lines. 53-60)

the step of receiving an identification of each of a plurality of real time communication devices selected as conference participants comprises receiving an indication of subscriber selection of contacts from the address book content (col.11.lines. 53-60)

Regarding claim 15, Biggs discloses, the step of providing the address book content to one of the real time communication devices comprises providing a conference initiation document for display on the real time communication device (col.18, lines.51-52), the conference initiation document comprising the address book content in association with a display template adapted for operator selection of contacts form the address book content (col.18, lines.57-61).

Regarding claim 16, Biggs discloses, the step of providing a conference initiation document comprises providing script providing for: subscriber selection of contacts (col.18, lines.47-52), a conference initiation control (col.18, lines.47-52) and identification of the selected contacts to the control unit in response to subscriber activation of the conference initiation control (col.18, 58-61; the phone number identify the party that the user wants to contact for conference).

Regarding claim 17, Biggs discloses, the step of establishing a plurality of real time audio conference channels further comprises:

establishing a real time communication channel with at least one conference participant for receiving motion video data from the at least one conference participant (Fig.5, el. 402-420) and providing motion video data to at least a second conference participant (col.8, lines. 52-68; i.e. in Fig.5, a video signals from first, second and Nth endpoint will receive and go through the video signal routing device 500 and then through the internal switch 518 which will direct these video signal based on the request from user who would like to participate in the conference to video mixer/switch; so video from first endpoint will go to any endpoint or multiple end points)

and establishing a real time communication channel with at least on other conference participant for providing a representation of the motion video data to the at least one other conference participant (col.16, lines.47-51 and col.19, lines.52-66).

Regarding claim 18, Biggs discloses, providing a main menu document for display on one real time communication device (col.18, lines. 40-41), the main menu document comprising a control for subscriber selection of at least one messaging service (col.18, lines. 51-57; i.e. call or add party),

a control for selection of initiating a communication conference (col.18, lines.40-61) and means for providing a request to establish a conference session to the control unit in response to subscriber activation of the control for selection of initiating a

Art Unit: 2609

communication conference (col.18, lines.40-61).

Regarding claim 19, Biggs discloses, obtaining address book content from an address book file (col.12, lines. 24-28) the address book content comprising an identification of each of a plurality of contacts (col.11, lines. 46-60); providing the address book content to the request to establish a conference session (col.11, lines. 46-60).

the step of receiving an identification of each of a plurality of real time communication devices selected as conference participants comprises receiving an indication of subscriber selection of contacts from the address book content

an address book file storing address book content, the address book content comprising an identification of each of a plurality of contacts (col.9, lines.6-31 and col.11, lines. 61-67 and col.12, lines1-3).

Regarding claim 20, Biggs further discloses, the step of providing the address book content to one of the real time communication devices comprises providing a conference initiation document for display on the real time communication Device (col.5, lines. 64-66), the conference initiation document comprising the address book content in association with a display template adapted for operator selection of contacts form the address book content (col.18, lines. 38-44).

Regarding claim 21, Biggs discloses, step of providing a conference initiation document comprises providing script providing for: subscriber selection of contacts

(col.18, lines.47-52), a conference initiation control(col.18, lines.47-52), an identification of the selected contacts to the control unit in response to 30 subscriber activation of the conference initiation control (col.18, 58-61).

Regarding claim 22, Biggs discloses, the step of establishing a plurality of real time audio conference channels further comprises:

establishing a real time communication channel with at least one conference participant (Fig.5, el. 402-420) for receiving motion video data from the at least one conference participant and providing motion video data to at least a second conference participant (col.8, lines. 52-68; i.e. in Fig.5, a video signals from first, second and Nth endpoint will receive and go through the video signal routing device 500 and then through the internal switch 518 which will direct these video signal based on the request from user who would like to participate in the conference to video mixer/switch; so video from first endpoint will go to any endpoint or multiple end points) and establishing a real time communication channel with at least on other conference participant for providing a representation of the motion video data to the at least one other conference participant (col.16, lines.47-51 and col.19, lines.52-66).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Maria El Zoobi whose telephone number is 571-270-3434. The examiner can normally be reached on Monday-Friday (8AM-5 PM).

Art Unit: 2609

Page 13

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hai Tran can be reached on 571-272-7305. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

M EI

SCOTT E. BELIVEAU
PRIMARY PATENT EXAMINER